abcam

Product datasheet

HRP Anti-Oct4 antibody [EPR2054] ab194076

ועלשעבע RabMAb

画像数 2

製品の概要

製品名 HRP Anti-Oct4 antibody [EPR2054]

製品の詳細 HRP Rabbit monoclonal [EPR2054] to Oct4

由来種 Rabbit 標識 HRP

アプリケーション 適用あり: IHC-P 種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール IHC-P: Human testis (Seminoma) tissue.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb patents**.


製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

 $K_D = 5.00 \times 10^{-12} M$ 解離定数(KD値)



Learn more about K_D

バッファー pH: 7.40

Preservative: 0.1% Proclin 300 Solution

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

精製度 Protein A purified

ポリ/モノ モノクローナル

クローン名 EPR2054

アイソタイプ IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab194076の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|--|
| IHC-P | | 1/500 - 1/1000. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. |

ターゲット情報

機能

Transcription factor that binds to the octamer motif (5'-ATTTGCAT-3'). Forms a trimeric complex with SOX2 on DNA and controls the expression of a number of genes involved in embryonic

development such as YES1, FGF4, UTF1 and ZFP206. Critical for early embryogenesis and for

embryonic stem cell pluripotency.

組織特異性 Expressed in developing brain. Highest levels found in specific cell layers of the cortex, the

olfactory bulb, the hippocampus and the cerebellum. Low levels of expression in adult tissues.

配列類似性 Belongs to the POU transcription factor family. Class-5 subfamily.

Contains 1 homeobox DNA-binding domain.

Contains 1 POU-specific domain.

発生段階 Highly expressed in undifferentiated embryonic stem cells and expression decreases gradually

after embryoid body (EB) formation.

ドメイン The POU-specific domain mediates interaction with PKM2.

翻訳後修飾 Sumoylation enhances the protein stability, DNA binding and transactivation activity. Sumoylation


is required for enhanced YES1 expression.

Ubiquitinated; undergoes 'Lys-63'-linked polyubiquitination by WWP2 leading to proteasomal

degradation.

細胞内局在 Nucleus. Expressed in a diffuse and slightly punctuate pattern.

画像




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - HRP Anti-Oct4 antibody
[EPR2054] (ab194076)

IHC image of Oct4 staining in a section of formalin-fixed paraffinembedded human testis (Seminoma)*. The section was pre-treated using pressure cooker heat mediated antigen retrieval with sodium citrate buffer (pH6) for 30mins, and incubated overnight at +4°C with ab194076 at 1µg/ml. DAB was used as the chromogen (ab103723), diluted 1/100 and incubated for 10min at room temperature. The section was counterstained with haematoxylin and mounted with DPX. The inset negative control image is taken from an identical assay without primary antibody.

For other IHC staining systems (automated and non-automated) customers should optimize variable parameters such as antigen retrieval conditions, primary antibody concentration and antibody incubation times.

*Tissue obtained from the Human Research Tissue Bank, supported by the NIHR Cambridge Biomedical Research Centre.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors