



### Anti-iNOS antibody [NOS-IN] ab49999

★★★★★ [5 Abreviews](#) [79 References](#) [画像数 2](#)

#### 製品の概要

製品名	Anti-iNOS antibody [NOS-IN]
製品の詳細	Mouse monoclonal [NOS-IN] to iNOS
由来種	Mouse
特異性	This antibody reacts specifically with inducible-type nitricoxide synthase (iNOS, also termed macNOS and mNOS). It does not react with NOS derived from brain.
アプリケーション	<b>適用あり:</b> ICC/IF, WB
種交差性	<b>交差種:</b> Mouse
免疫原	Synthetic peptide corresponding to Mouse iNOS aa 1126-1144 conjugated to keyhole limpet haemocyanin. Sequence: FSYGAKKGSALleepKATRL <div>  <a href="#">Run BLAST with</a>  <a href="#">Run BLAST with</a> </div>
ポジティブ・コントロール	WB: Whole cell extract of RAW 264.7 activated with LPS and IFN-gamma. ICC/IF: RAW 264.7 activated with LPS and IFN-gamma.
特記事項	<p>This product was changed from ascites to tissue culture supernatant on 17 May 2019. Please note that the dilutions may need to be adjusted accordingly. If you have any questions, please do not hesitate to contact our scientific support team.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	pH: 7.4

	Preservative: 0.087% Sodium azide
	Constituent: 2.93% PBS
<b>特記事項 (精製)</b>	This antibody is purified from hybridoma cell culture.
<b>ポリ/モノ</b>	モノクローナル
<b>クローン名</b>	NOS-IN
<b>アイソタイプ</b>	IgG1

## アプリケーション


**The Abpromise guarantee**      **Abpromise保証は、次のテスト済みアプリケーションにおけるab49999の使用に適用されます**  
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		Use at an assay dependent concentration.
WB	★★★★★ (4)	Use at an assay dependent concentration. Predicted molecular weight: 131 kDa.

## ターゲット情報

<b>機能</b>	Produces nitric oxide (NO) which is a messenger molecule with diverse functions throughout the body. In macrophages, NO mediates tumoricidal and bactericidal actions. Also has nitrosylase activity and mediates cysteine S-nitrosylation of cytoplasmic target proteins such COX2.
<b>組織特異性</b>	Expressed in the liver, retina, bone cells and airway epithelial cells of the lung. Not expressed in the platelets.
<b>配列類似性</b>	Belongs to the NOS family. Contains 1 FAD-binding FR-type domain. Contains 1 flavodoxin-like domain.

## 画像




Immunocytochemistry/ Immunofluorescence - Anti-iNOS antibody [NOS-IN] (ab49999)

Immunocytochemistry/ Immunofluorescence analysis of IFN- $\gamma$ /LPS-activated RAW-264.7 (Mouse macrophage cell line transformed with Abelson murine leukemia virus) cells labeling iNOS with ab49999 at 1/2000 dilution.

Cells were fixed and permeabilized with 4% paraformaldehyde and 0.5% Triton™ X-100. The antibody was developed using Goat anti-Mouse IgG, Cy3-conjugate. Cells were counterstained with DAPI (blue) to stain nuclei.

This image was generated using the ascites version of the product.



Western blot - Anti-iNOS antibody [NOS-IN] (ab49999)

**Lane 1 :** Anti-iNOS antibody [NOS-IN] (ab49999) at 1/500 dilution

**Lane 2 :** Anti-iNOS antibody [NOS-IN] (ab49999) at 1/1000 dilution

**Lane 3 :** Anti-iNOS antibody [NOS-IN] (ab49999) at 1/2500 dilution

**Lane 4 :** Anti-iNOS antibody [NOS-IN] (ab49999) at 1/5000 dilution

**All lanes :** IFN-gamma/LPS-activated RAW-264.7 cell extract

#### Secondary

**All lanes :** Goat Anti-Mouse IgG-Peroxidase and chemiluminescent substrate

**Predicted band size:** 131 kDa

This image was generated using the ascites version of the product.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors