abcam

Product datasheet

Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] - BSA and Azide free ab172382

יעלאעבע RabMAb

12 References 画像数 4

製品の概要

製品名 Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] - BSA and Azide free

製品の詳細 Rabbit monoclonal [UDD2 10(12)] to LRRK2 (phospho S935) - BSA and Azide free

由来種 Rabbit

特異性 The antibody does not give a positive signal in U-87 MG, SH-SY-5Y and human fetal brain.

Please contact our Scientific Support team if you have any question.

アプリケーション **適用あり:** WB

適用なし: ICC/IF or IHC-P

種交差性 交差種: Mouse, Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール WB: GFP LRRK2, GFP LRRK2 S910A, GFP LRRK2 S935A, LRRK2 WT MEF, LRRK2 WT

MEF, Lymphoblastoid, NIH/3T3 and RAW 264.7 cell lysates.

特記事項 ab172382 is the carrier-free version of ab133450.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

This antibody was developed with support from The Michael J. Fox Foundation.



製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Do Not Freeze.

バッファー Constituent: PBS

はい キャリア・フリー

精製度 Protein A purified

ポリモノ モノクローナル クローン名 UDD2 10(12)

アイソタイプ ΙgG

アプリケーション

Abpromise保証は、次のテスト済みアプリケーションにおけるab172382の使用に適用されます The Abpromise guarantee アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Detects a band of approximately 286 kDa (predicted molecular weight: 286 kDa). Please check the parent abID, <u>ab133450</u> , for a recommended dilution.

追加情報 Is unsuitable for ICC/IF or IHC-P.

ターゲット情報

組織特異性

機能 Positively regulates autophagy through a calcium-dependent activation of the CaMKK/AMPK

> signaling pathway. The process involves activation of nicotinic acid adenine dinucleotide phosphate (NAADP) receptors, increase in lysosomal pH, and calcium release from lysosomes. Together with RAB29, plays a role in the retrograde trafficking pathway for recycling proteins, such as mannose 6 phosphate receptor (M6PR), between lysosomes and the Golgi apparatus in a retromer-dependent manner. Regulates neuronal process morphology in the intact central nervous system (CNS). Plays a role in synaptic vesicle trafficking. Phosphorylates PRDX3. Has

GTPase activity. May play a role in the phosphorylation of proteins central to Parkinson disease.

in neurons of the substantia nigra pars compacta and caudate putamen (at protein level).

Expressed in the brain. Expressed in pyramidal neurons in all cortical laminae of the visual cortex,

Expressed throughout the adult brain, but at a lower level than in heart and liver. Also expressed in placenta, lung, skeletal muscle, kidney and pancreas. In the brain, expressed in the cerebellum, cerebral cortex, medulla, spinal cord occipital pole, frontal lobe, temporal lobe and putamen. Expression is particularly high in brain dopaminoceptive areas.

関連疾患

Parkinson disease 8

配列類似性

Belongs to the protein kinase superfamily. TKL Ser/Thr protein kinase family.

Contains 12 LRR (leucine-rich) repeats.

Contains 1 protein kinase domain.

Contains 1 Roc domain. Contains 7 WD repeats.

ドメイン

The seven-bladed WD repeat region is critical for synaptic vesicle trafficking and mediates

interaction with multiple vesicle-associated presynaptic proteins.

The Roc domain mediates homodimerization and regulates kinase activity.


翻訳後修飾

Autophosphorylated.

細胞内局在

Membrane. Cytoplasm. Perikaryon. Mitochondrion. Golgi apparatus. Cell projection, axon. Cell projection, dendrite. Endoplasmic reticulum. Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane. Endosome. Lysosome. Mitochondrion outer membrane. Mitochondrion inner membrane. Mitochondrion matrix. Predominantly associated with intracytoplasmic vesicular and membranous structures (By similarity). Localized in the cytoplasm and associated with cellular membrane structures. Predominantly associated with the mitochondrial outer membrane of the mitochondria. Colocalized with RAB29 along tubular structures emerging from Golgi apparatus. Localizes in intracytoplasmic punctate structures of neuronal perikarya and dendritic and axonal processes.

画像



[UDD2 10(12)] - BSA and Azide free (ab172382)

All lanes : Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] - BSA and Azide free (ab172382) at 1/10000 dilution

Lane 1: Wide type-LRRK2 overexpressed lysates

Lane 2: NIH/3T3 (Mouse embryonic fibroblast) whole cell lysates

Lane 3: RAW 264.7(Mouse Abelson murine leukemia virus-

induced tumor macrophage)whole cell lysates

Lysates/proteins at 15 µg per lane.

Secondary

All lanes: Goat Anti-Rabbit lgG H&L (HRP) (ab97051) at 1/20000

dilution

Predicted band size: 286 kDa

Exposure:

Lane 1 and 2: 5 seconds.

Lane 3: 180 seconds.

1 2 **KDa** LRRK2 (phospho S935) 250-150. 100 -75-50-37-25__ 20-15-10beta III Tubulin (ab52901) Lambda phosphatase :

Western blot - Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] - BSA and Azide free (ab172382)

All lanes : Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] (**ab133450**) at 1/5000 dilution

Lane 1: WT-LRRK2 cell lysate - untreated

Lane 2: WT-LRRK2 cell lysate - treated with Lambda phosphatase

Lysates/proteins at 10 µg per lane.


Secondary

All lanes : Peroxidase-conjugated goat anti-rabbit lgG (H+L) at 1/1000 dilution

Predicted band size: 286 kDa

Blocking/Dilution buffer and concentration: 5% NFDM/TBST.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (<u>ab133450</u>).



Western blot - Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] - BSA and Azide free (ab172382)

All lanes : Anti-LRRK2 (phospho S935) antibody [UDD2 10(12)] (ab133450) at 1/1000 dilution (unpurified)

Lane 1: GFP LRRK2 lysate at 5 µg

Lane 2: GFP LRRK2 S910A lysate at 5 μg **Lane 3**: GFP LRRK2 S935A lysate at 5 μg

Lane 4: LRRK2 WT MEF lysate at 20 µg

Lane 5: LRRK2 WT MEF lysate from LRRK2 IN1 treated cells at

20 µg

Lane 6: LRRK2 KO MEF lysate at 20 µg

Lane 7: LRRK2 KO MEF lysate from LRRK2 IN1 treated cells at

20 uc

Lane 8: Lymphoblastoid lysate at 30 µg

Lane 9: Lymphoblastoid lysate from LRRK2 IN1 treated cells at 30


μg

Secondary

All lanes : Goat anti-rabbit HRP conjugated antibody at 1/2000 dilution

Predicted band size: 286 kDa

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (<u>ab133450</u>).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors