


Anti-MBOAT4 antibody ab140889

[2 References](#) [画像数 2](#)

製品の概要

製品名	Anti-MBOAT4 antibody
製品の詳細	Rabbit polyclonal to MBOAT4
由来種	Rabbit
特異性	BLAST analysis of the peptide immunogen showed no homology with other Human proteins.
アプリケーション	適用あり: IHC-P
種交差性	交差種: Human 交差が予測される動物種: Horse, Guinea pig, Chimpanzee, Monkey, Gorilla, Common marmoset, Orangutan 
免疫原	Synthetic peptide corresponding to Human MBOAT4 (internal sequence).
ポジティブ・コントロール	Human thyroid medullary carcinoma tissue and stomach tissue.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C.
バッファー	pH: 7.4 Preservative: 0.1% Sodium azide Constituent: 99% PBS
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG


The Abpromise guarantee **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab140889の使用に適用されます
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		Use a concentration of 5 - 10 µg/ml. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

ターゲット情報


機能	Mediates the octanoylation of ghrelin at 'Ser-3'. Can use a variety of fatty acids as substrates including octanoic acid, decanoic acid and tetradecanoic acid.
組織特異性	Expressed predominantly in stomach with moderate levels in pancreas and relatively low levels in most other tissues.
配列類似性	Belongs to the membrane-bound acyltransferase family.
細胞内局在	Endoplasmic reticulum membrane.

画像



Immunohistochemistry analysis of Formalin fixed and Paraffin Embedded Human thyroid medullary carcinoma tissue labelling MBOAT4 with ab140889 at 10 µg/ml.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MBOAT4 antibody (ab140889)



Immunohistochemistry analysis of Formalin fixed and Paraffin Embedded Human stomach tissue labelling MBOAT4 with ab140889 at 10 µg/ml.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MBOAT4 antibody (ab140889)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors