

Anti-Mib1/Mindbomb antibody [EPR2762(2)] ab124929

リコンビナント RabMAb[®]


★★★★☆ **4 Abreviews** **4 References** 画像数 10

製品の概要

製品名	Anti-Mib1/Mindbomb antibody [EPR2762(2)]
製品の詳細	Rabbit monoclonal [EPR2762(2)] to Mib1/Mindbomb
由来種	Rabbit
アプリケーション	適用あり: WB, IHC-P, ICC/IF 適用なし: IP
種交差性	交差種: Mouse, Human 非交差種: Rat
免疫原	Synthetic peptide within Human Mib1/Mindbomb aa 1-100 (N terminal). The exact sequence is proprietary.
ポジティブ・コントロール	K562, HeLa, Caco2, NCCIT, and Human brain lysates; Human kidney tissue.
特記事項	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Stable for 12 months at -20°C.
解離定数 (K _D 値)	K _D = 1.72 x 10 ⁻¹⁰ M



バッファー	pH: 7.2 Preservative: 0.01% Sodium azide Constituents: 40% Glycerol, 0.05% BSA
精製度	Protein A purified
ポリ/モノ	モノクローナル
クローン名	EPR2762(2)
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab124929の使用に適用されます**
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
WB	★★★★★ (3)	1/1000 - 1/10000. Detects a band of approximately 110 kDa (predicted molecular weight: 110 kDa).
IHC-P	★★★★★ (1)	1/100 - 1/500. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. Heat up to 98 degrees C, below boiling, and then let cool for 10-20 min.
ICC/IF		1/100 - 1/250.

追加情報 Is unsuitable for IP.

ターゲット情報

機能	E3 ubiquitin-protein ligase that mediates ubiquitination of Delta receptors, which act as ligands of Notch proteins. Positively regulates the Delta-mediated Notch signaling by ubiquitinating the intracellular domain of Delta, leading to endocytosis of Delta receptors. Probably mediates ubiquitination and subsequent proteasomal degradation of DAPK1, thereby antagonizing anti-apoptotic effects of DAPK1 to promote TNF-induced apoptosis.
組織特異性	Widely expressed at low level. Expressed at higher level in spinal cord, ovary, whole brain, and all specific brain regions examined.
パスウェイ	Protein modification; protein ubiquitination.
配列類似性	Contains 9 ANK repeats. Contains 2 MIB/HERC2 domains. Contains 3 RING-type zinc fingers. Contains 1 ZZ-type zinc finger.
翻訳後修飾	Ubiquitinated. Possibly via autoubiquitination.
細胞内局在	Cytoplasm. Cell membrane. Localizes to the plasma membrane (By similarity). According to PubMed:15048887, it is mitochondrial, however such localization remains unclear.

画像



All lanes : Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929) at 1/10000 dilution

Lane 1 : Human fetal brain tissue

Lane 2 : K562 (human chronic myelogenous leukemia) whole cell lysate

Lysates/proteins at 20 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/50000 dilution

Predicted band size: 110 kDa

Additional bands at: 110 kDa. We are unsure as to the identity of these extra bands.

Blocking and diluting buffer: 5% NFDm/TBST

This image was produced using purified antibody.




Immunohistochemical analysis of Human breast cancer tissue, staining Mib1/Mindbomb with ab124929.

Tissue was fixed with paraformaldehyde and permeabilized with Tween buffer for 30 minutes at 20°C; antigen retrieval was by heat mediation in Tris/EDTA buffer (pH 9). Samples were incubated with primary antibody (1/5000 in diluent) for 30 minutes at 20°C. An undiluted HRP-conjugated goat anti-rabbit polyclonal IgG was used as the secondary antibody.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929)

This image is courtesy of an Abreview submitted by Mr Rudolf Jung




Immunocytochemistry/ Immunofluorescence - Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929)

ab124929 staining Mib1/Mindbomb in HeLa (human cervix adenocarcinoma) cells by ICC/IF (Immunocytochemistry/immunofluorescence). Cells were fixed with 4% Paraformaldehyde and permeabilized with 0.1% Triton X-100. Samples were incubated with primary antibody at a dilution of 1/100. A goat anti rabbit IgG (Alexa Fluor® 488) ([ab150077](#)) was used as the secondary antibody. [ab7291](#) and [ab150120](#) were used as counterstains for primary antibody ab124929 and secondary antibody [ab150077](#) respectively and DAPI was used as a nuclear counterstain.

Negative control 1: Rabbit primary antibody and anti-mouse secondary antibody ([ab150120](#))

Negative control 2: Mouse primary antibody ([ab7291](#)) and anti-rabbit secondary antibody ([ab150077](#))

This image was produced using purified antibody.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929)

ab124929 staining Mib1/Mindbomb in Human tonsil tissue sections by Immunohistochemistry (IHC-P - paraformaldehyde-fixed, paraffin-embedded sections). Tissue was fixed with paraformaldehyde and antigen retrieval was by heat mediation in a EDTA buffer. Samples were incubated with primary antibody at a dilution of 1/100. A goat anti-rabbit IgG H&L (HRP) [ab97051](#) was used as the secondary antibody at a dilution of 1/500.

Negative control 1: PBS in place of primary antibody.

This image was produced using purified antibody.



Western blot - Anti-Mib1/Mindbomb antibody
[EPR2762(2)] (ab124929)

Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929) at 1/1000 dilution + Mouse spleen tissue lysate at 10 µg

Secondary


Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/50000 dilution

Predicted band size: 110 kDa

Additional bands at: 110 kDa. We are unsure as to the identity of these extra bands.

Diluting and blocking buffer: 5% NFDM /TBST.

This image was produced using purified antibody.



Western blot - Anti-Mib1/Mindbomb antibody
[EPR2762(2)] (ab124929)

Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929) at 1/10000 dilution + Mouse brain tissue lysate at 10 µg


Secondary

Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/50000 dilution

Predicted band size: 110 kDa

Blocking and diluting buffer: 5% NFDM/TBST.

This image was produced using purified antibody.



All lanes : Anti-Mib1/Mindbomb antibody [EPR2762(2)] (ab124929) at 1/1000 dilution

Lane 1 : K562 cell lysates

Lane 2 : HeLa cell lysates

Lane 3 : Caco2 cell lysates

Lane 4 : NCCIT cell lysates

Lane 5 : Human brain lysates


Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP-conjugated goat anti-rabbit at 1/2000 dilution

Predicted band size: 110 kDa


This image was produced using unpurified antibody.



ab124929, at 1/250 dilution, staining Mib1/Mindbomb in formalin-fixed, paraffin-embedded Human kidney tissue by immunohistochemistry.

This image was produced using unpurified antibody.

Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



SPR Scanning - Anti-Mib1/Mindbomb antibody
[EPR2762(2)] (ab124929)

Equilibrium dissociation constant (K_D)

Learn more about K_D

[Click here to learn more about \$K_D\$](#)

This image was produced using unpurified antibody.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-Mib1/Mindbomb antibody [EPR2762(2)]
(ab124929)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors