

# Mouse IgG1, kappa monoclonal [MOPC-21] - isotype control ab18443

## 39 References

### 製品の概要

製品名	Mouse IgG1, kappa monoclonal [MOPC-21] - isotype control
特異性	MOPC-21 immunoglobulin has unknown specificity and was chosen as an isotype control after screening on a variety of resting, activated, live and fixed rat and human tissues.
アプリケーション	<b>適用あり:</b> IHC-P, IHC-Fr, Flow Cyt, IP, WB
免疫原	Other Immunogen Type corresponding to Mouse. There is no immunogen for this product because it was not generated through a hybridoma. It was generated by the myeloma of a mouse that was fed mineral oil.
特記事項	<p>ab18443 MOPC-21 immunoglobulin is useful as an isotype-matched control in Western blotting, immunoprecipitation, immunohistochemical staining, bioassay and immunofluorescent staining (surface or intracellular) for flow cytometric analysis.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	<p>pH: 7.20</p> <p>Preservative: 0.09% Sodium azide</p> <p>Constituent: PBS</p>
精製度	Protein G purified
アイソタイプ・コントロール 備考	<b>ab18433</b> MOPC-21 immunoglobulin is useful as an isotype-matched control in Western blotting, immunoprecipitation, immunohistochemical staining, bioassay and immunofluorescent staining (surface or intracellular) for flow cytometric analysis.

ポリ/モノ	モノクローナル
クローン名	MOPC-21
アイソタイプ	IgG1
軽鎖の種類	kappa

## アプリケーション

**The Abpromise guarantee**      **Abpromise保証は、次のテスト済みアプリケーションにおけるab18443の使用に適用されます**  
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
IHC-P		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration. Suitable for surface or intracellular staining.
IP		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors