

# Mouse IgG2b, kappa monoclonal [MG2b-57] - Isotype Control (Low endotoxin, azide free) ab18428

### 3 References

#### 製品の概要

製品名	Mouse IgG2b, kappa monoclonal [MG2b-57] - Isotype Control (Low endotoxin, azide free)
アプリケーション	<b>適用あり:</b> ICC/IF, IP, WB, IHC-Fr, Functional Studies, IHC-P, Flow Cyt
免疫原	Trinitrophenol + KLH
特記事項	<p>ab18428 solution contains no preservative; handle under aseptic conditions.</p> <p>ab18428 is useful as an isotype-matched control for Western blotting, immunoprecipitation, immunohistochemical staining, bioassay, and immunofluorescent staining (surface or intracellular) for flow cytometric analysis. ab18428 reacts with KLH and the MG2b-57 immunoglobulin was chosen as an isotype control after screening on a variety of resting, activated, live, and fixed mouse and human tissues.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C. Do Not Freeze.
バッファー	pH: 7.20 Constituent: PBS
	0.2 µm filter sterilized
キャリア・フリー	はい
精製度	Immunogen affinity purified
アイソタイプ・コントロール 備考	ab18428 is useful as an isotype-matched control for Western blotting, immunoprecipitation, immunohistochemical staining, bioassay, and immunofluorescent staining (surface or intracellular)

for flow cytometric analysis. ab18428 reacts with KLH and the MG2b-57 immunoglobulin was chosen as an isotype control after screening on a variety of resting, activated, live, and fixed mouse and human tissues.

ポリモノ	モノクローナル
クローン名	MG2b-57
アイソタイプ	IgG2b
軽鎖の種類	kappa

#### アプリケーション

**The Abpromise guarantee** **Abpromise保証は、次のテスト済みアプリケーションにおけるab18428の使用に適用されます**  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		Use at an assay dependent concentration. PubMed: 28024734
IP		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
Functional Studies		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration. Suitable for surface or intracellular staining.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

#### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors