

Anti-NSG2 antibody [EPR15389(B)] - C-terminal ab189513

リコンビナント RabMAb

★★★★★ [1 Abreviews](#) [4 References](#) [画像数 3](#)

製品の概要

製品名	Anti-NSG2 antibody [EPR15389(B)] - C-terminal
製品の詳細	Rabbit monoclonal [EPR15389(B)] to NSG2 - C-terminal
由来種	Rabbit
アプリケーション	適用あり: WB
種交差性	交差種: Mouse, Rat, Human
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
ポジティブ・コントロール	Neuro-2a, SH-SY5Y, Human fetal brain and rat brain lysates.
特記事項	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	pH: 7.2 Preservative: 0.01% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 59% PBS, 0.05% BSA
精製度	Protein A purified
ポリ/モノ	モノクローナル
クローン名	EPR15389(B)
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab189513の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000. Detects a band of approximately 19 kDa (predicted molecular weight: 19 kDa).

ターゲット情報


配列類似性

Belongs to the NSG family.

細胞内局在

Cytoplasmic vesicle membrane. Golgi apparatus > Golgi stack membrane. Endosome > multivesicular body membrane. Mainly Golgi stack, but also found in small vacuolar organelles and multivesicular bodies.

画像



Western blot - Anti-NSG2 antibody [EPR15389(B)] - C-terminal (ab189513)

All lanes : Anti-NSG2 antibody [EPR15389(B)] - C-terminal (ab189513) at 1/1000 dilution

Lane 1 : Neuro-2a cell lysate

Lane 2 : Human fetal brain lysate

Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 19 kDa



Western blot - Anti-NSG2 antibody [EPR15389(B)] - C-terminal (ab189513)

All lanes : Anti-NSG2 antibody [EPR15389(B)] - C-terminal (ab189513) at 1/1000 dilution

Lane 1 : SH-SY5Y cell lysate

Lane 2 : Rat brain lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 19 kDa

Why choose a recombinant antibody?

 <p>Research with confidence Consistent and reproducible results</p>	 <p>Long-term and scalable supply Recombinant technology</p>
 <p>Success from the first experiment Confirmed specificity</p>	 <p>Ethical standards compliant Animal-free production</p>

Anti-NSG2 antibody [EPR15389(B)] - C-terminal (ab189513)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors