


Anti-PAQR5 antibody ab79517

★★★★★ [2 Abreviews](#) [8 References](#) [画像数 2](#)

製品の概要

製品名	Anti-PAQR5 antibody
製品の詳細	Rabbit polyclonal to PAQR5
由来種	Rabbit
アプリケーション	適用あり: WB
種交差性	交差種: Human 交差が予測される動物種: Rat 
免疫原	Synthetic peptide derived from the C terminal of Human PAQR5
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.40 Preservative: 0.02% Sodium azide Constituents: PBS, 50% Glycerol (glycerin, glycerine), 0.87% Sodium chloride
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション


The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab79517の使用に適用されます**
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB	★★★★★ (1)	1/500 - 1/1000. Detects a band of approximately 38 kDa (predicted molecular weight: 38 kDa).

ターゲット情報

関連性	PAQR5 (Progestin and adipoQ receptor family member V) is a steroid membrane receptor which binds progesterone. It may be involved in oocyte maturation. It is an integral membrane protein and is expressed in kidney, colon, adrenal gland and lung. It belongs to the ADIPOR family.
細胞内局在	Membrane; Multi-pass membrane protein.

画像



Western blot - Anti-PAQR5 antibody (ab79517)

All lanes : Anti-PAQR5 antibody (ab79517) at 1/500 dilution


Lane 1 : Extracts from HUVEC cells

Lane 2 : Extracts from HUVEC cells with immunizing peptide at 10 µg

Lysates/proteins at 25 µg per lane.

Predicted band size: 38 kDa

Observed band size: 38 kDa



Western blot - Anti-PAQR5 antibody (ab79517)

This image is courtesy of an anonymous Abreview

All lanes : Anti-PAQR5 antibody (ab79517) at 500 µg

Lane 1 : HUVEC cell lysate (positive control)

Lanes 2-4 : Non-pregnant ovine caruncle tissue lysate

Lanes 5-7 : Day 30 of gestation ovine caruncle tissue lysate

Lysates/proteins at 40 µg per lane.

Secondary

All lanes : HRP-conjugated goat anti-rabbit IgG monoclonal at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 38 kDa

Observed band size: 42 kDa

Additional bands at: 52 kDa (possible non-specific binding)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors