


Anti-Paxillin (phospho Y118) antibody [EPR1903] ab109547

リコンビナント **RabMAb**

7 References [画像数 4](#)

製品の概要

製品名	Anti-Paxillin (phospho Y118) antibody [EPR1903]
製品の詳細	Rabbit monoclonal [EPR1903] to Paxillin (phospho Y118)
由来種	Rabbit
アプリケーション	適用あり: Dot blot, WB 適用なし: Flow Cyt, ICC/IF, IHC-P or IP
種交差性	交差種: Human 交差が予測される動物種: Mouse, Rat 
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
ポジティブ・コントロール	WB: HeLa and Jurkat cell lysates treated with pervanadate.
特記事項	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
バッファー	pH: 7.20 Preservative: 0.05% Sodium azide Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue culture supernatant
精製度	Protein A purified
ポリ/モノ	モノクローナル
クローン名	EPR1903

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab109547の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Dot blot		1/1000.
WB		1/1000 - 1/10000. Predicted molecular weight: 65 kDa.

追加情報

Is unsuitable for Flow Cyt, ICC/IF, IHC-P or IP.

ターゲット情報

機能

Cytoskeletal protein involved in actin-membrane attachment at sites of cell adhesion to the extracellular matrix (focal adhesion).

配列類似性

Belongs to the paxillin family.
Contains 4 LIM zinc-binding domains.


翻訳後修飾

Phosphorylated on tyrosine residues during integrin-mediated cell adhesion, embryonic development, fibroblast transformation and following stimulation of cells by mitogens.

細胞内局在

Cytoplasm > cytoskeleton. Cell junction > focal adhesion.

画像



Western blot - Anti-Paxillin (phospho Y118) antibody [EPR1903] (ab109547)

All lanes : Anti-Paxillin (phospho Y118) antibody [EPR1903] (ab109547) at 1/1000 dilution

Lane 1 : Jurkat (human T cell leukemia T lymphocyte) whole cell lysate

Lane 2 : Jurkat treated with 50mM pervanadate for 5 min whole cell lysate

Lane 3 : Jurkat treated with 50mM pervanadate for 5 min whole cell lysate. Then the membrane was incubated with alkaline phosphatase.

Lysates/proteins at 10 µg per lane.


Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/20000 dilution

Predicted band size: 65 kDa


Observed band size: 65 kDa

Blocking and dilution buffer: 5% NFDM/TBST.



Dot Blot - Anti-Paxillin (phospho Y118) antibody
[EPR1903] (ab109547)

Dot blot analysis of Paxillin (phospho Y118) phospho peptide (Lane 1) and Paxillin phospho peptide (Lane 2) labelling Paxillin (phospho Y118) with ab109547 at a dilution of 1/1000. A Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated ([ab97051](#)) was used as the secondary antibody at a dilution of 1/20,000. Blocking buffer: 5% NFDM/BST. Dilution buffer: 5% NFDM/TBST.



Western blot - Anti-Paxillin (phospho Y118) antibody
[EPR1903] (ab109547)

All lanes : Anti-Paxillin (phospho Y118) antibody [EPR1903]
(ab109547) at 1/1000 dilution

Lane 1 : HeLa cell lysate

Lane 2 : HeLa cell lysate treated with pervanadate

Lysates/proteins at 10 µg per lane.

Predicted band size: 65 kDa

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-Paxillin (phospho Y118) antibody [EPR1903]
(ab109547)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors