abcam

Product datasheet

PE Anti-alpha smooth muscle Actin antibody [EPR5368] ab208844

יעלאעבע RabMAb

画像数 2

製品の概要

製品名 PE Anti-alpha smooth muscle Actin antibody [EPR5368]

製品の詳細 PE Rabbit monoclonal [EPR5368] to alpha smooth muscle Actin

由来種 Rabbit

標識 PE. Ex: 488nm, Em: 575nm

アプリケーション 適用あり: Flow Cyt (Intra)

種交差性 交差種: Rat

交差が予測される動物種: Mouse, Human 4

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール Flow Cyt (intra): SV40LT-SMC cells

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot. Store at +4°C. Store In the Dark.

バッファー pH: 7.4

> Preservative: 0.02% Sodium azide Constituents: 1% BSA, PBS

Protein A purified 精製度

モノクローナル ポリモノ

lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab208844の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt (Intra)		1/5000. The cellular localisation of this product has been verified in ICC/IF.

ターゲット情報

機能 Actins are highly conserved proteins that are involved in various types of cell motility and are

ubiquitously expressed in all eukaryotic cells.

関連疾患 Defects in ACTA2 are the cause of aortic aneurysm familial thoracic type 6 (AAT6) [MIM:611788].


AATs are characterized by permanent dilation of the thoracic aorta usually due to degenerative changes in the aortic wall. They are primarily associated with a characteristic histologic appearance known as 'medial necrosis' or 'Erdheim cystic medial necrosis' in which there is degeneration and fragmentation of elastic fibers, loss of smooth muscle cells, and an

accumulation of basophilic ground substance.

配列類似性 Belongs to the actin family.

細胞内局在 Cytoplasm > cytoskeleton.


画像



Flow Cytometry (Intracellular) - PE Anti-alpha smooth muscle Actin antibody [EPR5368] (ab208844) Overlay histogram showing SV40LT-SMC cells stained with ab208844 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab208844, 1/5000 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was Rabbit IgG (monoclonal) Phycoerythrin (<u>ab209478</u>) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 50 mW Yellow/Green laser (561nm) and 586/15 bandpass filter.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors