

### PE Anti-GNLY/Granulysin antibody [DH2] ab95829

#### 画像数 1

#### 製品の概要

---

製品名	PE Anti-GNLY/Granulysin antibody [DH2]
製品の詳細	PE Mouse monoclonal [DH2] to GNLY/Granulysin
由来種	Mouse
標識	PE. Ex: 488nm, Em: 575nm
アプリケーション	<b>適用あり:</b> Flow Cyt
種交差性	<b>交差種:</b> Human
免疫原	Recombinant fragment corresponding to Human GNLY/Granulysin. Database link: <a href="#">P22749</a>
ポジティブ・コントロール	Normal Human peripheral blood cells
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

---

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	pH: 7.20 Preservative: 0.09% Sodium azide Constituents: BSA, PBS
精製度	Protein G purified
ポリ/モノ	モノクローナル
クローン名	DH2
アイソタイプ	IgG1
軽鎖の種類	kappa

## アプリケーション


**The Abpromise guarantee** Abpromise保証は、次のテスト済みアプリケーションにおけるab95829の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use 5µl for 10 <sup>6</sup> cells.

## ターゲット情報

<b>機能</b>	Antimicrobial protein that kills intracellular pathogens. Active against a broad range of microbes, including Gram-positive and Gram-negative bacteria, fungi, and parasites. Kills Mycobacterium tuberculosis.
<b>組織特異性</b>	Expressed in natural killer and T-cells.
<b>配列類似性</b>	Contains 1 saposin B-type domain.
<b>翻訳後修飾</b>	A 9 kDa form is produced by proteolytic processing of a 15 kDa protein.
<b>細胞内局在</b>	Secreted. Located in the cytotoxic granules of T-cells, which are released upon antigen stimulation.

## 画像



Staining of normal Human peripheral blood cells with Anti-Human CD56 (NCAM) FITC then fixed and permeabilized and stained with Mouse IgG1 ? Isotype Control PE (left) or ab95829 (right). Cells in the lymphocyte gate were used for analysis.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

## **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors