

PE Anti-HA tag antibody [16B12] ab72479

[2 References](#) [画像数 1](#)

製品の概要

製品名	PE Anti-HA tag antibody [16B12]
製品の詳細	PE Mouse monoclonal [16B12] to HA tag
由来種	Mouse
標識	PE. Ex: 488nm, Em: 575nm
特異性	ab72479 recognizes HA epitopes located in the middle of protein sequences as well as at the N- or C-terminus.
アプリケーション	適用あり: Flow Cyt
種交差性	交差種: Species independent
免疫原	Raised against the twelve amino acid peptide CYPYDVPDYASL.
エピトープ	ab72479 recognizes the influenza hemagglutinin epitope (YPYDVPDYA).
特記事項	Excitation max. lambda: 565>498 nm Emission max. lambda: 578 nm. The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing. If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	Preservative: 0.013% Sodium azide Constituents: 0.1% BSA, 0.87% Sodium chloride, 1.64% Sodium phosphate
精製度	Size exclusion
特記事項(精製)	Size exclusion chromatography as well as proprietary methods for purifying the final materials were used.
ポリ/モノ	モノクローナル
クローン名	16B12

アプリケーション


The Abpromise guarantee **Abpromise保証は、**次のテスト済みアプリケーションにおけるab72479の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use at an assay dependent concentration. ab91357 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

ターゲット情報

関連性 Human influenza hemagglutinin (HA) is a surface glycoprotein required for the infectivity of the human virus. The HA tag is derived from the HA molecule corresponding to amino acids 98-106 has been extensively used as a general epitope tag in expression vectors. Many recombinant proteins have been engineered to express the HA tag, which does not appear to interfere with the bioactivity or the biodistribution of the recombinant protein. This tag facilitates the detection, isolation, and purification of the proteins.

画像



Flow cytometry analysis of a recombinant (N-terminus HA-tag) transmembrane cell surface receptor in CHO cells using ab72479 (blue). Black - Mouse IgG1 Phycoerythrin isotype control.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors