abcam

Product datasheet

PerCP Anti-MUC16 antibody [EPSISR23] ab221280

ועלשעבע RabMAb

画像数 2

製品の概要

製品名 PerCP Anti-MUC16 antibody [EPSISR23]

製品の詳細 PerCP Rabbit monoclonal [EPSISR23] to MUC16

由来種 Rabbit

標識 PerCP. Ex: 482nm, Em: 675nm

アプリケーション 適用あり: Flow Cyt (Intra)

種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

(Peptide available as ab139976)

ポジティブ・コントロール Flow Cyt (intra): SK-OV-3 cells

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot. Store at +4°C. Do Not Freeze. Store In the Dark.

バッファー

Preservative: 0.02% Sodium azide Constituents: 1% BSA. PBS

精製度 Protein A purified

ポリモノ モノクローナル クローン名 EPSISR23

アイソタイプ ΙgG

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab221280の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|------------------|-----------|---|
| Flow Cyt (Intra) | | 1/500. The cellular localisation of this product has been verified in ICC/IF. |

ターゲット情報

機能 Thought to provide a protective, lubricating barrier against particles and infectious agents at

mucosal surfaces.

組織特異性 Expressed in corneal and conjunctival epithelia (at protein level). Overexpressed in ovarian

carcinomas and ovarian low malignant potential (LMP) tumors as compared to the expression in

normal ovarian tissue and ovarian adenomas.

配列類似性 Contains 2 ANK repeats.

Contains 56 SEA domains.

ドメイン Composed of three domains, a Ser-, Thr-rich N-terminal domain, a repeated domain containing

more than 60 partially conserved tandem repeats of 156 amino acids each (AAs 12061-21862)

and a C-terminal transmembrane contain domain with a short cytoplasmic tail.

翻訳後修飾 Heavily O-glycosylated; expresses both type 1 and type 2 core glycans.

Heavily N-glycosylated; expresses primarily high mannose and complex bisecting type N-linked

glycans.

May be phosphorylated. Phosphorylation of the intracellular C-terminal domain may induce proteolytic cleavage and the liberation of the extracellular domain into the extracellular space. May contain numerous disulfide bridges. Association of several molecules of the secreted form may occur through interchain disulfide bridges providing an extraordinarily large gel-like matrix in


the extracellular space or in the lumen of secretory ducts.

細胞内局在 Cell membrane. Secreted > extracellular space. May be liberated into the extracellular space

following the phosphorylation of the intracellular C-terminus which induces the proteolytic cleavage

and liberation of the extracellular domain.

画像




Flow Cytometry (Intracellular) - PerCP Anti-MUC16 antibody [EPSISR23] (ab221280)

Overlay histogram showing SK-OV-3 cells stained with ab221280 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 90% methanol. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab221280, 1/500 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was Rabbit IgG (monoclonal)

PerCP (<u>ab222107</u>) used at the same concentration and conditions
as the primary antibody. Unlabelled sample (blue line) was also
used as a control.

Acquisition of >5,000 events were collected using a 20 mW blue solid-state laser (488nm) and >670 longpass filter.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors