

Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] ab129206

KO 評価済 リコンビナント RabMAb

2 References 画像数 7

製品の概要

製品名	Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114]
製品の詳細	Rabbit monoclonal [EPR8114] to Peroxiredoxin 3/PRDX3
由来種	Rabbit
アプリケーション	適用あり: IHC-P, WB, ICC/IF, Flow Cyt (Intra) 適用なし: IP
種交差性	交差種: Human
免疫原	Synthetic peptide within Human Peroxiredoxin 3/PRDX3 aa 50-150. The exact sequence is proprietary.
ポジティブ・コントロール	HeLa, 293T, MCF-7, and A431 cell lysates; Human liver and thyroid gland carcinoma tissues; MCF-7 cells.
特記事項	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p> <p>Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
バッファー	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture supernatant
精製度	Protein A purified

ポリ/モノ モノクローナル
 クローン名 EPR8114
 アイソタイプ IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab129206の使用に適用されます
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		1/50000 - 1/200000. Detects a band of approximately 26 kDa (predicted molecular weight: 28 kDa).
ICC/IF		1/50 - 1/100.
Flow Cyt (Intra)		Use at an assay dependent concentration.

追加情報 Is unsuitable for IP.


ターゲット情報

機能 Involved in redox regulation of the cell. Protects radical-sensitive enzymes from oxidative damage by a radical-generating system. Acts synergistically with MAP3K13 to regulate the activation of NF-kappa-B in the cytosol.

配列類似性 Belongs to the ahpC/TSA family.
 Contains 1 thioredoxin domain.

細胞内局在 Mitochondrion.


画像



Western blot - Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206)


Lane 1: Wild-type HAP1 cell lysate (20 µg)
Lane 2: Peroxiredoxin 3/PRDX3 knockout HAP1 cell lysate (20 µg)
Lane 3: MCF7 cell lysate (20 µg)
Lane 4: A431 cell lysate (20 µg)
Lanes 1 - 4: Merged signal (red and green). Green - ab129206 observed at 24 kDa. Red - loading control, **ab8245**, observed at 37 kDa.

ab129206 was shown to specifically react with Peroxiredoxin 3/PRDX3 when Peroxiredoxin 3/PRDX3 knockout samples were used. Wild-type and Peroxiredoxin 3/PRDX3 knockout samples were subjected to SDS-PAGE. ab129206 and **ab8245** (loading control to GAPDH) were both diluted 1/50000 and 1/10000 respectively and incubated overnight at 4°C. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed **ab216773** and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed **ab216776** secondary antibodies at 1/10000 dilution for 1 h at room temperature before imaging.




Immunocytochemistry/ Immunofluorescence - Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206)

ab129206, at 1/50 dilution, staining Peroxiredoxin 3/PRDX3 in MCF-7 cells by Immunofluorescence.



Flow Cytometry (Intracellular) - Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206)

Intracellular Flow Cytometry analysis of MCF-7 (human breast carcinoma) cells labeling Peroxiredoxin 3/PRDX3 with unpurified ab129206 at 1/150 dilution (10µg/ml) (red). Cells were fixed with 4% paraformaldehyde and permeabilised with 90% methanol. A Goat anti rabbit IgG (Alexa Fluor® 488) (1/2000 dilution) was used as the secondary antibody. Rabbit monoclonal IgG (Black) was used as the isotype control, cells without incubation with primary antibody and secondary antibody (Blue) were used as the unlabeled control.



Western blot - Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206)

All lanes : Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206) at 1/50000 dilution

Lane 1 : HeLa cell lysate

Lane 2 : 293T (Human embryonic kidney epithelial cell) cell lysate

Lane 3 : MCF7 cell lysate

Lane 4 : A431 cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat anti-rabbit HRP at 1/2000 dilution

Predicted band size: 28 kDa


Observed band size: 26 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206)

ab129206, at 1/50 dilution, staining Peroxiredoxin 3/PRDX3 in paraffin-embedded Human liver tissue by Immunohistochemistry.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114] (ab129206)

ab129206, at 1/50 dilution, staining Peroxiredoxin 3/PRDX3 in paraffin-embedded Human thyroid gland carcinoma tissue by Immunohistochemistry.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-Peroxiredoxin 3/PRDX3 antibody [EPR8114]
(ab129206)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors