abcam

Product datasheet

Anti-PKC theta/PRKCQ antibody [EPR1487(2)] - BSA and Azide free ab247936

יובעדער RabMAb

製品の概要

製品名 Anti-PKC theta/PRKCQ antibody [EPR1487(2)] - BSA and Azide free

製品の詳細 Rabbit monoclonal [EPR1487(2)] to PKC theta/PRKCQ - BSA and Azide free

由来種 Rabbit

アプリケーション **適用あり:** WB

適用なし: Flow Cyt,ICC/IF,IHC-P or IP

交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ab247936 is the carrier-free version of ab110728.

Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar[®] Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

1

画像数 2

種交差性

免疫原

特記事項

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Do Not Freeze.

バッファー pH: 7.2

Constituent: PBS

キャリア・フリー はい

精製度 Protein A purified

ポリ(モノ モノクローナル **ウローン名** EPR1487(2)

アイソタイプ IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab247936の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|--|
| WB | | Use at an assay dependent concentration. Predicted molecular weight: 82 kDa. |

追加情報 Is unsuitable for Flow Cyt,ICC/IF,IHC-P or IP.

ターゲット情報

機能
This is a calcium-independent, phospholipid-dependent, serine- and threonine-specific enzyme.
Essential for T-cell receptor (TCR)-mediated T-cell activation, but is dispensable during TCRdependent thymocyte development. Links the TCR signaling complex to the activation of NF-

kappa-B in mature T lymphocytes. Required for interleukin-2 (IL2) production.

 ${\sf PKC} \ is \ activated \ by \ diacylglycerol \ which \ in \ turn \ phosphorylates \ a \ range \ of \ cellular \ proteins. \ {\sf PKC}$

also serves as the receptor for phorbol esters, a class of tumor promoters.

組織特異性 Skeletal muscle, megakaryoblastic cells and platelets.

配列類似性 Belongs to the protein kinase superfamily. AGC Ser/Thr protein kinase family. PKC subfamily.

Contains 1 AGC-kinase C-terminal domain.

Contains 1 C2 domain.

Contains 2 phorbol-ester/DAG-type zinc fingers.

Contains 1 protein kinase domain.


ドメイン The C1 domain, containing the phorbol ester/DAG-type region 1 (C1A) and 2 (C1B), is the

diacylglycerol sensor and the C2 domain is a non-calcium binding domain.

翻訳後修飾 Autophosphorylation at Thr-219 is required for targeting to the TCR and cellular function of PKC

upon antigen receptor ligation.

画像



All lanes : Anti-PKC theta/PRKCQ antibody [EPR1487(2)] (ab110728) at 1/1000 dilution


Lane 1: Human platelet lysate

Lane 2: Jurkat lysate

Lysates/proteins at 10 µg/ml per lane.

Predicted band size: 82 kDa

This data was developed using <u>ab110728</u>, the same antibody clone in a different buffer formulation.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors