# abcam

## Product datasheet

## Anti-PLVAP/PV-1 antibody ab127554

面偽粉 1

## 医薬用外劇物

#### 製品の概要

製品名 Anti-PLVAP/PV-1 antibody

製品の詳細 Rabbit polyclonal to PLVAP/PV-1

由来種 Rabbit

 アプリケーション
 適用あり: WB

 種交差性
 交差種: Human

免疫原 Recombinant fragment corresponding to Human PLVAP/PV-1 aa 203-417.

Database link: Q9BX97

ポジティブ・コントロール 293T whole cell lysate

•

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

特記事項

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

**バッファー** pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 78.99% PBS, 1% BSA, 20% Glycerol (glycerin, glycerine)

精製度 Immunogen affinity purified

**ポリ/モノ** ポリクローナル

アイソタイプ lgG

アプリケーション

1

### The Abpromise guarantee

#### Abpromise保証は、次のテスト済みアプリケーションにおけるab127554の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 51 kDa.

#### ターゲット情報

機能	Involved in the formation of stomatal and fenestral diaphragms of caveolae. May function in microvascular permeability.
組織特異性	Expressed in lung, kidney, heart, aorta, placenta, muscle, pituitary gland, adrenals, mammary gland, bladder, lymph node, bone marrow, trachea, digestive tract, liver and tumor-associated endothelium.
細胞内局在	Cell membrane. Membrane > caveola. Cytoplasm > perinuclear region. Membrane-associated protein of caveolae. Found in fenestral and stomatal diaphragms in fenestrated endothelia and transendothelial channels. Also colocalized with CAV1 in perinuclear region.

#### 画像



Anti-PLVAP/PV-1 antibody (ab127554) at 1/1000 dilution + 293T whole cell lysate at 30  $\mu g$ 

Predicted band size: 51 kDa

10% SDS PAGE

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors