abcam

Product datasheet

Anti-PPWD1 antibody [EPR7440] - BSA and Azide free ab248140

יעלאעבע RabMAb

画像数3

製品の概要

特記事項

製品名 Anti-PPWD1 antibody [EPR7440] - BSA and Azide free

製品の詳細 Rabbit monoclonal [EPR7440] to PPWD1 - BSA and Azide free

由来種 Rabbit

アプリケーション **適用あり:** WB

適用なし: Flow Cyt,ICC/IF,IHC-P or IP

種交差性 交差種: Mouse, Rat, Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ab248140 is the carrier-free version of ab126710.

Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.


Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Do Not Freeze.

解離定数(K_D 値) $K_D = 5.30 \times 10^{-11} M$



Learn more about K_D

バッファー pH: 7.2

Constituent: PBS

キャリア・フリー はい

精製度 Protein A purified

ポリ/モノ モノクローナル

クローン名 EPR7440

アイソタイプ IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab248140の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Detects a band of approximately 74 kDa (predicted molecular weight: 74 kDa).

追加情報 Is unsuitable for Flow Cyt,ICC/IF,IHC-P or IP.

ターゲット情報

機能 Putative peptidylprolyl isomerase (PPlase). PPlases accelerate the folding of proteins. It

catalyzes the cis-trans isomerization of proline imidic peptide bonds in oligopeptides. May be

involved in pre-mRNA splicing.


配列類似性 Belongs to the cyclophilin-type PPlase family. PPIL1 subfamily.

Contains 1 PPlase cyclophilin-type domain.

Contains 4 WD repeats.

細胞内局在 Nucleus. Associated with spliceosomal complexes.

画像



All lanes: Anti-PPWD1 antibody [EPR7440] (ab126710) at 1/1000 dilution

Lane 1: 293T cell lysate Lane 2: A549 cell lysate Lane 3: HeLa cell lysate Lane 4: L929 cell lysate Lane 5: L6 cell lysate

Lane 6: C6 cell lysate

Lane 7: NIH 3T3 cell lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: Goat anti-Rabbit HRP at 1/2000 dilution

Predicted band size: 74 kDa

PPWD1 Probe Conc EPR7440 8.0 __ 33 nM 7.0 Surface Density (ng/mm²) ___ 11 nM 6.0 ___ 3.7 nM 5.0 4.0 3.0

 $\begin{array}{lll} & \text{kon [1/(sec-M)]} = & (1.60\pm0.01)\,\text{E5} \\ & \text{koff [1/sec]} = & (8.5\pm0.2)\,\text{E-6} \\ & \text{Kd [M]} = & (5.3\pm0.1)\,\text{E-11} \\ \end{array}$

Fit RMSE [ng/mm²] = 1.8 E-1 Median Baseline Noise [ng/mm²] = 6.7 E-2 Median Association Signal [ng/mm²] = 2.5 E0 Median Assoc. Endpoint SNR = 4.2 E1 RMSE / Noise = 2.8 E0

OI-RD Scanning - Anti-PPWD1 antibody [EPR7440] - BSA and Azide free (ab248140)

135

2.0 1.0

0.0 -1.0 -2.0 -3.0 -30

30 60 90


Time (min)

This data was developed using ab126710, the same antibody clone in a different buffer formulation.

This data was developed using **ab126710**, the same antibody clone in a different buffer formulation. Equilibrium disassociation constant (K_D)

Learn more about K_D

Click here to learn more about KD



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors