abcam

Product datasheet

Anti-RRP42 antibody [EPR7452] - BSA and Azide free ab248166

יעלאעבע RabMAb

画像数 4

製品の概要

製品名 Anti-RRP42 antibody [EPR7452] - BSA and Azide free

製品の詳細 Rabbit monoclonal [EPR7452] to RRP42 - BSA and Azide free

由来種 Rabbit

アプリケーション 適用あり: IHC-P, WB

適用なし: Flow Cyt or ICC/IF

種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

特記事項 ab248166 is the carrier-free version of ab126750.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.


Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Do Not Freeze.

解離定数(K_D値) K_D = 1.90 x 10 ⁻¹¹ M



Learn more about K_D

バッファー pH: 7.2

Constituent: PBS

キャリア・フリー はい

精製度 Protein A purified

ポリ/モノ モノクローナル **クローン名** EPR7452

アイソタイプ lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab248166の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Predicted molecular weight: 32 kDa.

追加情報 Is unsuitable for Flow Cyt or ICC/IF.

ターゲット情報

機能

Non-catalytic component of the RNA exosome complex which has 3'->5' exoribonuclease activity and participates in a multitude of cellular RNA processing and degradation events. In the nucleus, the RNA exosome complex is involved in proper maturation of stable RNA species such as rRNA, snRNA and snoRNA, in the elimination of RNA processing by-products and non-coding 'pervasive' transcripts, such as anti-sense RNA species and promoter-upstream transcripts (PROMPTs), and of mRNAs with processing defects, thereby limiting or excluding their export to the cytoplasm. The RNA exosome may be involved in lg class switch recombination (CSR) and/or lg variable region somatic hypermutation (SHM) by targeting AlCDA deamination activity to transcribed dsDNA substrates. In the cytoplasm, the RNA exosome complex is involved in general mRNA turnover and specifically degrades inherently unstable mRNAs containing AU-rich elements (AREs) within their 3' untranslated regions, and in RNA surveillance pathways,

preventing translation of aberrant mRNAs. It seems to be involved in degradation of histone mRNA. The catalytic inactive RNA exosome core complex of 9 subunits (Exo-9) is proposed to play a pivotal role in the binding and presentation of RNA for ribonucleolysis, and to serve as a scaffold for the association with catalytic subunits and accessory proteins or complexes.


配列類似性

Belongs to the RNase PH family.

細胞内局在

Nucleus > nucleolus. Cytoplasm. Nucleus.

画像



Western blot - Anti-RRP42 antibody [EPR7452] - BSA and Azide free (ab248166)

All lanes : Anti-RRP42 antibody [EPR7452] (**ab126750**) at 1/10000 dilution

Lane 1 : K562 cell lysate

Lane 2 : Jurkat cell lysate

Lane 3 : NCI-H460 cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes: HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 32 kDa


This data was developed using <u>ab126750</u>, the same antibody clone in a different buffer formulation.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-RRP42 antibody

[EPR7452] - BSA and Azide free (ab248166)

This data was developed using **ab126750**, the same antibody clone in a different buffer formulation.**ab126750**, at 1/100 dilution, staining RRP42 in paraffin-embedded Human colon tissue by Immunohistochemistry. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.




BSA and Azide free (ab248166)

This data was developed using $\underline{ab126750}$, the same antibody clone in a different buffer formulation. Equilibrium disassociation constant (KD)

Learn more about K_D

Click here to learn more about K_D



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors