abcam

Product datasheet

Anti-RXRG antibody ab15518

★★★★★ 10 Abreviews 15 References 画像数 2

製品の概要

製品名 Anti-RXRG antibody

製品の詳細 Rabbit polyclonal to RXRG

由来種 Rabbit

特異性 From Jan 2024, QC testing of replenishment batches of this polyclonal changed. All tested and

expected application and reactive species combinations are still covered by our Abcam product promise. However, we no longer test all applications. For more information on a specific batch,

please contact our Scientific Support who will be happy to help.

アプリケーション 適用あり: IHC-Fr, ICC/IF, IHC - Wholemount, WB, IHC-P

種交差性 交差種: Mouse, Rat, Chicken, Hamster, Human

免疫原 Synthetic peptide within Mouse RXRG aa 1-100 (N terminal). The exact sequence is proprietary.

Database link: P28705

特記事項 This product is FOR RESEARCH USE ONLY. For commercial use, please contact

partnerships@abcam.com.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

バッファー pH: 7.60

Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

1

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab15518の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-Fr	**** <u>(1)</u>	Use at an assay dependent concentration.
ICC/IF	**** <u>(2)</u>	Use at an assay dependent concentration.
IHC - Wholemount	**** <u>(1)</u>	Use at an assay dependent concentration.
WB	**** <u>(2)</u>	Use a concentration of 1 - 2 μg/ml. Predicted molecular weight: 51 kDa.
IHC-P	★★★★★(4)	1/100. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

ターゲット情報


機能	Receptor for retinoic acid. Retinoic acid receptors bind as heterodimers to their target response elements in response to their ligands, all-trans or 9-cis retinoic acid, and regulate gene expression in various biological processes. The RAR/RXR heterodimers bind to the retinoic acid response elements (RARE) composed of tandem 5'-AGGTCA-3' sites known as DR1-DR5. The high affinity ligand for RXRs is 9-cis retinoic acid.
配列類似性	Belongs to the nuclear hormone receptor family. NR2 subfamily. Contains 1 nuclear receptor DNA-binding domain.
ドメイン	Composed of three domains: a modulating N-terminal domain, a DNA-binding domain and a C-terminal ligand-binding domain.
細胞内局在	Nucleus.

画像



Anti-RXRG antibody (ab15518) at 1/25 dilution + NIH3T3 cell lysate

Predicted band size: 51 kDa **Observed band size:** 55 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-RXRG antibody (ab15518)

ab15518 staining RXRG in breast carcinoma by Immunohistochemistry (FFPE-sections).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors