

### SureLight® APC Anti-6X His tag® antibody [AD1.1.10] ab72579

#### 7 References

#### 製品の概要

製品名	SureLight® APC Anti-6X His tag® antibody [AD1.1.10]
製品の詳細	SureLight® APC Mouse monoclonal [AD1.1.10] to 6X His tag®
由来種	Mouse
標識	SureLight® APC. Ex: 652nm, Em: 657nm
アプリケーション	<b>適用あり:</b> Flow Cyt, FRET
種交差性	<b>交差種:</b> Species independent
免疫原	Synthetic peptide corresponding to 6X His tag®.
特記事項	<p>SureLight® Allophycocyanin. Excitation max. 652 nm, Emission max. 657 nm. F/P 1:1.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	<p>pH: 7.40</p> <p>Preservative: 0.013% Sodium azide</p> <p>Constituents: 0.1% BSA, 0.87% Sodium chloride, 1.64% Sodium phosphate, 1.71% Sucrose</p>
精製度	Size exclusion
特記事項 (精製)	Size exclusion chromatography as well as some proprietary methods for purifying the final materials were used.
ポリ/モノ	モノクローナル
クローン名	AD1.1.10
アイソタイプ	IgG1

## アプリケーション

**The Abpromise guarantee**      **Abpromise保証は、次のテスト済みアプリケーションにおけるab72579の使用に適用されます**  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use at an assay dependent concentration. <b>ab37391</b> - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.
FRET		Use at an assay dependent concentration.

## ターゲット情報

**関連性**      The H-H-H-H-H-H motif is used as a tag on many recombinant proteins to facilitate purification. His-tags can be fused to the amino- or carboxy- termini of proteins in transfected or transformed cells.

**細胞内局在**      Depends upon the localization of the parent protein tagged with hexahistidine.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors