

Anti-Transferrin Receptor antibody [MEM-189] ab1086

★★★★★ [4 Abreviews](#) [31 References](#) [画像数 1](#)

製品の概要

製品名	Anti-Transferrin Receptor antibody [MEM-189]
製品の詳細	Mouse monoclonal [MEM-189] to Transferrin Receptor
由来種	Mouse
特異性	The antibody MEM-189 reacts with CD71 antigen (transferrin receptor), a 95 kDa type II homodimeric transmembrane glycoprotein expressed on activated B and lymphocytes, macrophages and erythroid precursors; it is lost on resting blood leukocytes. The antibody MEM-189 does not block binding of transferrin to the receptor.
アプリケーション	適用あり: Flow Cyt 適用なし: ICC/IF
種交差性	交差種: Human
免疫原	Tissue, cells or virus corresponding to Human Transferrin Receptor. KG1 human acute myelogenous leukaemia cell line
ポジティブ・コントロール	Flow Cyt: K562 cells.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	pH: 8.0 Preservative: 0.097% Sodium azide Constituent: Tris buffer
精製度	Protein A purified
ポリ/モノ	モノクローナル

クローン名 MEM-189
アイソタイプ IgG1

アプリケーション

The Abpromise guarantee **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab1086の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt	★★★★★ (1)	Use a concentration of 2 µg/ml.

追加情報 Is unsuitable for ICC/IF.

ターゲット情報

機能 Cellular uptake of iron occurs via receptor-mediated endocytosis of ligand-occupied transferrin receptor into specialized endosomes. Endosomal acidification leads to iron release. The apotransferrin-receptor complex is then recycled to the cell surface with a return to neutral pH and the concomitant loss of affinity of apotransferrin for its receptor. Transferrin receptor is necessary for development of erythrocytes and the nervous system (By similarity). A second ligand, the hereditary hemochromatosis protein HFE, competes for binding with transferrin for an overlapping C-terminal binding site. Positively regulates T and B cell proliferation through iron uptake (PubMed:26642240).
(Microbial infection) Acts as a receptor for new-world arenaviruses: Guanarito, Junin and Machupo virus.


関連疾患 Immunodeficiency 46

配列類似性 Belongs to the peptidase M28 family. M28B subfamily.
Contains 1 PA (protease associated) domain.

翻訳後修飾 N- and O-glycosylated, phosphorylated and palmitoylated. The serum form is only glycosylated. Proteolytically cleaved on Arg-100 to produce the soluble serum form (sTfR).
Palmitoylated on both Cys-62 and Cys-67. Cys-62 seems to be the major site of palmitoylation.

細胞内局在 Secreted and Cell membrane. Melanosome. Identified by mass spectrometry in melanosome fractions from stage I to stage IV.

画像



Flow Cytometry analysis of K562 cells labelling Transferrin with ab1086 at 2 µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors