# abcam

## Product datasheet

## Anti-Versican antibody [EPR23374-21] ab270444

יעלאעבע RabMAb

#### 画像数 2

#### 製品の概要

製品名 Anti-Versican antibody [EPR23374-21]

製品の詳細 Rabbit monoclonal [EPR23374-21] to Versican

由来種 Rabbit

アプリケーション **適用あり:** WB

適用なし: Flow Cyt,ICC/IF,IHC-Fr,IHC-P or IP

種交差性 交差種: Mouse, Rat, Human

免疫原 Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール WB: Mouse brain, Human brain, Rat brain lysates.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

バッファー pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

精製度 Protein A purified

ポリモノ モノクローナル クローン名 EPR23374-21

アイソタイプ ΙgG

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab270444の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000. Detects a band of approximately 370 kDa (predicted molecular weight: 373 kDa).

追加情報 Is unsuitable for Flow Cyt,ICC/IF,IHC-Fr,IHC-P or IP.

#### ターゲット情報

機能

take part in the regulation of cell motility, growth and differentiation. Binds hyaluronic acid.

組織特異性

Cerebral white matter and plasma. Isoform V0 and isoform V1 are expressed in normal brain, gliomas, medulloblastomas, schwannomas, neurofibromas, and meningiomas. Isoform V2 is

gliomas, medulloblastomas, schwannomas, neurofibromas, and meningiomas. Isoform V2 is restricted to normal brain and gliomas. Isoform V3 is found in all these tissues except

May play a role in intercellular signaling and in connecting cells with the extracellular matrix. May

medulloblastomas.

**関連疾患**Defects in VCAN are the cause of Wagner syndrome type 1 (WGN1) [MIM:143200]. WGN is a dominantly inherited vitreoretinopathy characterized by an optically empty vitreous cavity with fibrillary condensations and a preretinal avascular membrane. Other optical features include

 $progressive\ chorioretinal\ atrophy,\ perivascular\ sheating,\ subcapsular\ cataract\ and\ myopia.$ 

Systemic manifestations are absent in WGN.

**配列類似性** Belongs to the aggrecan/versican proteoglycan family.

Contains 1 C-type lectin domain. Contains 2 EGF-like domains.

Contains 1 lg-like V-type (immunoglobulin-like) domain.

Contains 2 Link domains.


Contains 1 Sushi (CCP/SCR) domain.

**発生段階** Disappears after the cartilage development.

翻訳後修飾 Phosphorylation sites are present in the extracelllular medium.

**細胞内局在** Secreted > extracellular space > extracellular matrix.

## 画像



Western blot - Anti-Versican antibody [EPR23374-21] (ab270444)

**All lanes :** Anti-Versican antibody [EPR23374-21] (ab270444) at 1/1000 dilution

Lane 1: Mouse brain tissue lysate

Lane 2: Human brain tissue lysate

Lane 3 : MDA-MB-231 (human breast adenocarcinoma epithelial

cell) whole cell lysate

Lane 4: MeWo (human malignant melanoma fibroblast) whole cell

lysate

Lane 5: Rat brain tissue lysate

Lysates/proteins at 20 µg per lane.

#### Secondary

All lanes : Goat Anti-Rabbit lgG H&L (HRP) ( $\underline{ab97051}$ ) at

1/100000 dilution


**Predicted band size:** 373 kDa **Observed band size:** 370 kDa

Blocking and diluting buffer and concentration: 5% NFDM/TBST

Negative control: MDA-MB-231(PMID:29222454);

MeWo(PMID:12972299).

Exposure time: 3 minutes



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors