

### Anti-VISTA antibody [BLR035F] - BSA free ab272080

リコンビナント

画像数 7

#### 製品の概要

製品名	Anti-VISTA antibody [BLR035F] - BSA free
製品の詳細	Rabbit monoclonal [BLR035F] to VISTA - BSA free
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB, ICC, IHC-P, IP, Flow Cyt
種交差性	<b>交差種:</b> Human
免疫原	Synthetic peptide within Human VISTA aa 250-311 (C terminal). The exact sequence is proprietary. NP_071436.1 and Gene ID 64115. Database link: <a href="#">Q9H7M9</a>
ポジティブ・コントロール	IP: Jurkat WB: Jurkat, MOLT-4, MJ, RPMI 8226, HeLa, KG-1 IHC-P: Human lung carcinoma, ICC: NCI H226 Flow Cyt: human peripheral blood mononuclear cells
特記事項	ab272080 is the BSA-free version of <a href="#">ab243891</a> .  This product is sold under License from Bethyl Laboratories, Inc.

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	pH: 8.20 Preservative: 0.09% Sodium azide Constituent: 98% Borate buffered saline
特記事項 (精製)	Recombinant antibody was purified from cell culture supernatant.
ポリクローナル	モノクローナル
クローン名	BLR035F
アイソタイプ	IgG

#### アプリケーション

## The Abpromise guarantee

**Abpromise保証は、次のテスト済みアプリケーションにおけるab272080の使用に適用されます**

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration.
ICC		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
IP		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration.

## ターゲット情報


### 配列類似性

Contains 1 Ig-like (immunoglobulin-like) domain.

### 細胞内局在

Membrane.

## 画像



**All lanes** : Anti-VISTA antibody [BLR035F] ([ab243891](#)) at 1/1000 dilution

**Lane 1** : Jurkat (Human T cell leukemia cell line from peripheral blood) whole cell lysate

**Lane 2** : MOLT-4 (Human lymphoblastic leukemia cell line) whole cell lysate

**Lane 3** : MJ whole cell lysate

**Lane 4** : RPMI 8226 whole cell lysate

**Lane 5** : HeLa (Human epithelial cell line from cervix adenocarcinoma) whole cell lysate

**Lane 6** : KG-1 whole cell lysate

**Lane 7** : HEK-293T (Human epithelial cell line from embryonic kidney transformed with large T antigen) whole cell lysate

**Lane 8** : Sup-M2 (Human) whole cell lysate

Lysates/proteins at 50 µg per lane.


### Secondary

**All lanes** : HRP-conjugated goat anti-rabbit IgG

**Exposure time:** 30 seconds

Detection: chemiluminescence

This data was developed using the same antibody clone in a different buffer formulation containing Borate buffered saline, BSA, glycerol and sodium azide (**ab243891**).




VISTA was immunoprecipitated from 1.0 mg Jurkat (human T cell leukemia cell line from peripheral blood) whole cell lysate with **ab243891** at 20  $\mu$ l per reaction. Western blot was performed on the immunoprecipitate using **ab243891** at 1/1000 dilution.

Lane 1: **ab243891** IP in Jurkat whole cell lysate.

Lane 2: Control IgG in Jurkat whole cell lysate.


Detection: Chemiluminescence with an exposure time of 30 seconds.

This data was developed using the same antibody clone in a different buffer formulation containing Borate buffered saline, BSA, glycerol and sodium azide (**ab243891**).



Formalin-fixed, paraffin-embedded human lung carcinoma tissue stained for VISTA using **ab243891** at 1/250 dilution in immunohistochemical analysis. A HRP-conjugated goat anti-rabbit antibody was used as the secondary. DAB staining.


This data was developed using the same antibody clone in a different buffer formulation containing Borate buffered saline, BSA, glycerol and sodium azide (**ab243891**).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-VISTA antibody [BLR035F] - BSA free (ab272080)

Immunohistochemistry analysis of formalin-fixed, paraffin-embedded human ovarian carcinoma tissue labeling VISTA with [ab243891](#) at a 1/250 dilution, followed by HRP-conjugated Goat Anti-Rabbit IgG secondary antibody. Substrate: Opal. Counterstain: DAPI (blue).


This data was developed using the same antibody clone in a different buffer formulation containing Borate buffered saline, BSA, glycerol and sodium azide ([ab243891](#)).



Immunocytochemistry - Anti-VISTA antibody [BLR035F] - BSA free (ab272080)

Formalin-fixed, paraffin-embedded NCI H226 cells labeling VISTA using [ab243891](#) at 1/250 dilution in ICC analysis. A HRP-conjugated goat-anti rabbit IgG was used as the secondary. DAB staining.

This data was developed using the same antibody clone in a different buffer formulation containing Borate buffered saline, BSA, glycerol and sodium azide ([ab243891](#)).



Flow cytometric analysis of human peripheral blood mononuclear cells labelling VISTA with **ab243891** (shaded) compared with isotype control (un-shaded). DyLight® 488-conjugated goat anti-rabbit IgG was used as the secondary antibody.

This data was developed using the same antibody clone in a different buffer formulation containing Borate buffered saline, BSA, glycerol and sodium azide (**ab243891**).

Why choose a recombinant antibody?

 <p><b>Research with confidence</b> Consistent and reproducible results</p>	 <p><b>Long-term and scalable supply</b> Recombinant technology</p>
 <p><b>Success from the first experiment</b> Confirmed specificity</p>	 <p><b>Ethical standards compliant</b> Animal-free production</p>

Anti-VISTA antibody [BLR035F] - BSA free (ab272080)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors