

HeLa DNA Damage Whole Cell Lysate Set: UV Treated and Untreated Control ab157396

画像数 3

製品の概要

製品名	HeLa DNA Damage Whole Cell Lysate Set: UV Treated and Untreated Control
種交差性	交差種: Human
製品の概要	<p>UV light is a common source of DNA damage, and can lead to skin cancer and premature aging. Exposure to UV-B and UV-C light leads to the formation of pyrimidine dimers, and to a lesser extent, purine dimers and pyrimidine photophosphates. These dimerized DNA bases are typically removed by the nucleotide excision repair pathway. Failure to repair the damage can induce apoptosis by blocking DNA replication and transcription.</p> <p>The UV-treated HeLa lysate is designed for use as a western blot positive control when studying UV-induced DNA damage and/or apoptosis. Cells were treated with UV-C light for 1 minute, then cultured for 4 hours before collecting for lysates. Untreated cells were grown under standard cell culture conditions for HeLa cells.</p> <p>Samples are provided solubilized in an SDS-PAGE loading buffer, supplemented with reducing agent. This sample is ready for SDS-electrophoresis and acts as a positive control in Western blotting applications.</p> <p>Concentration: HeLa UV-treated lysate, 200 µg at 2.0 mg/mL HeLa untreated lysate, 200 µg at 2.0 mg/mL</p>
アプリケーション	適用あり: WB

製品の特性


保存方法 Store at -80°C. Please refer to protocols.

内容	2 units
Control for UV-Treated HeLa Lysate	1 x 200µg
UV-Treated HeLa Lysate	1 x 200µg


The Abpromise guarantee Abpromise保証は、 次のテスト済みアプリケーションにおけるab157396の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration.

画像



Lane 1: MW marker
Lane 2: Untreated HeLa lysate (ab157396)
Lane 3: UV-treated HeLa lysate (ab157396).
All lysates at 20 µg per lane.
Primary antibodies (all lanes): **ab136812** Apoptosis Western Blot Cocktail (pro/p17-caspase 3, cleaved-PARP, muscle actin) 1:250 dilution.
Secondary antibodies (all lanes): Goat polyclonal to Mouse IgG - HRP at 1:5000 dilution and Goat polyclonal to Rabbit IgG - HRP at 1:5000 dilution.
Developed using the ECL method.
Predicted band sizes: 89, 42, 32, 17 kDa
Observed band sizes: 89, 42, 32 kDa



Lane 1: MW marker
Lane 2: Untreated HeLa lysate (ab157396)
Lane 3: UV-treated HeLa lysate (ab157396)
All lysates at 20 µg per lane.
Primary antibody (all lanes): **ab133981** Anti-Caspase 9 antibody at 2 µg/mL.
Secondary antibodies (all lanes): Goat polyclonal to Mouse IgG - HRP at 1:5000 dilution.
Developed using the ECL method.
Predicted band size: 35 kDa
Observed band size: 25 kDa




Figure 3. Western blot with

ab131385

Apoptosis and DNA Damage Western Blot Cocktail

Lanes 1, 4: MW marker

Lane 2: Untreated HeLa lysate (ab157396)

Lane 3: UV-treated HeLa lysate (ab157396).

All lysates at 20 µg per lane.

Primary antibodies:

Lanes 1-3: **ab131385** Apoptosis and DNA Damage Western Blot

Cocktail (cleaved PARP, GAPDH, H2A.X pSer139) 1:250 dilution

Lanes 4-6: H2A.X pSer139 antibody.

Secondary antibodies (all lanes): Goat polyclonal to Mouse IgG -

HRP at 1:5000 dilution.

Developed using the ECL method.

Predicted band sizes: 15, 36, 89 kDa

Other bands observed (from H2A.X pSer139 antibody, identities unknown): 25, 30 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors