abcam

Product datasheet

Donkey Anti-Goat IgG H&L (Cy3 ®) preadsorbed ab6949

★★★★★ 2 Abreviews 41 References 画像数 1

製品の概要

製品名 Donkey Anti-Goat IgG H&L (Cy3 ®) preadsorbed

由来種Donkeyターゲット生物種Goat

アプリケーション 適用あり: ICC/IF, IHC-P, IHC-Fr, ICC, Flow Cyt, ELISA, WB

吸着処理血清

Cow, Guinea pig, Hamster, Horse, Mouse, Rabbit, Rat <u>more details</u>

免疫原 Full length native Goat IgG (purified).

標識 Cy3 ®. Ex: 552nm, Em: 565nm

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

パッファー pH: 6.50

Preservative: 0.01% Sodium azide

Constituents: 0.42% Potassium phosphate, 0.87% Sodium chloride, 1% BSA

精製度 Immunogen affinity purified

特記事項(精製) This product was prepared from monospecific antiserum by immunoaffinity chromatography using

Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any

unwanted reactivities and extensive dialysis against the buffer stated above.

特記事項(標識) Cy3.29 (Cyanine 3.29-OSu) (Molecular Weight 949 daltons) Absorption Wavelength: 552 nm

Emission Wavelength: 565 nm Fluorochrome/Protein Ratio: 8.1 moles Cy3 per mole of Donkey

lgG

ポリ/モノ ポリクローナル

アイソタイプ IgG

特記事項 Cy™ and CyDye™ are registered trademarks of Cytiva.

This secondary antibody is specifically designed for the detection of multiple primary antibodies

(polyclonal or monoclonal) of different host species in experiments where cells are simultaneously


labeled without unwanted cross reaction.

1

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab6949の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|---|
| ICC/IF | | 1/1000 - 1/5000. |
| IHC-P | | Use at an assay dependent concentration. |
| IHC-Fr | **** (1) | Use at an assay dependent concentration. |
| ICC | | Use at an assay dependent concentration. |
| Flow Cyt | | Use at an assay dependent concentration. |
| ELISA | | 1/10000 - 1/50000. |
| WB | | 1/1000. Predicted molecular weight: 36 kDa. |

画像



Donkey Anti-Goat IgG H&L (Cy3 ®) preadsorbed (ab6949) at 1000 cells + Goat IgG, 50 ng

Predicted band size: 36 kDa

Both the heavy and light chains of Goat IgG are observed.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors