# abcam

## Product datasheet

# Donkey Anti-Rabbit IgG H&L (HRP) ab97064

★★★★★ 1 Abreviews 31 References 画像数 2

製品の概要

製品名 Donkey Anti-Rabbit IgG H&L (HRP)

由来種Donkeyターゲット生物種Rabbit

特異性 By immunoelectrophoresis and ELISA this antibody reacts specifically with Rabbit IgG and with

light chains common to other Rabbit immunoglobulins. No antibody was detected against non-

immunoglobulin serum proteins.

アプリケーション 適用あり: ICC, IHC-P, ELISA, WB

標識 HRP

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

**パッファー** pH: 6.8

Constituents: 0.2% BSA, 0.05% CMIT/MIT based preservative

精製度 Immunogen affinity purified

特記事項(精製) This antibody was isolated by affinity chromatography using antigen coupled to agarose beads

and conjugated to Horse Radish Peroxidase (HRP).

特記事項(標識) Molar enzyme/ antibody protein ratio is 4:1

**ポリ/モノ** ポリクローナル

アイソタイプ lgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab97064の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC		Use at an assay dependent dilution.

1

アプリケーション	Abreviews	特記事項
IHC-P		1/200 - 1/5000.
ELISA		1/10000 - 1/100000.
WB	****(1)	1/5000 - 1/50000. Colorimetric: Use 1/5000-1/30000, Chemiluminescent: Use 1/10000-1/50000

#### 画像




<u>ab19968</u> detecting vancomycin in human serum samples by indirect ELISA. Samples were blocked with 2.5% milk for 30 minutes at 20°C and incubated with the primary antibody (1/1000 in PBS) for 1 hour at 20°C. A HRP-conjugated donkey anti-rabbit lgG H&L (ab97064) (1/1000) was used as the secondary antibody.



This image is courtesy of an Abreview submitted by Julie Richards.

Donkey polclonal secondary antibody to rabbit lgG-H&L (HRP) (ab97064) was used in a dilution of 1:5000. The first antibody was Smad4 antibody [EP618Y] (ab40759). The gel was a 4%-12% BisTris Gel with MOPS Buffer. The first band is 30µg nuclear extract of a EBV-transformed B-lymphoblastoid cell line, the second band is 50µg of whole protein extract of the same EBV transformed B-LCL and the third lane is the same than in the second one but only 30µg. In this combination the secondary antibody works excellent. There is only the predicted band of 60 kDa, no additional bands!

This image is courtesy of Mr Daniel Meier



Western blot - Donkey Anti-Rabbit IgG H&L (HRP) (ab97064)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors