

Product datasheet

Anti-zona radiata antibody [MN-7F2] ab36802

画像数 2

製品の概要

製品名	Anti-zona radiata antibody [MN-7F2]
製品の詳細	Mouse monoclonal [MN-7F2] to zona radiata
由来種	Mouse
特異性	This antibody binds with high affinity to zona radiata proteins (Zrp) in plasma samples from Atlantic salmon ( <i>Salmo salar</i> ), reacting primarily with the g monomer.
アプリケーション	<b>適用あり:</b> ELISA, WB
種交差性	<b>交差種:</b> Rainbow trout
免疫原	Purified eggshell proteins (zona radiata proteins and small amounts of zona pellucida proteins) from Atlantic salmon ( <i>Salmo salar</i> ).
ポジティブ・コントロール	Plasma from 17β-estradiol treated Salmon.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	pH: 7.40 Preservative: 0.08% Sodium azide Constituents: 1% BSA, 0.87% Sodium chloride, 1.64% Sodium phosphate
精製度	Protein G purified
特記事項(精製)	Affinity purified
ポリ/モノ	モノクローナル
クローン名	MN-7F2
アイソタイプ	IgG1
軽鎖の種類	kappa

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab36802** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

ELISA

WB

## 追加情報

ELISA: 1/100 - 1/5000.

WB: 1/100 - 1/1000. Detects a band of approximately 45 kDa.

The antibody is dissolved in a buffer containing BSA, and is therefore not recommended to use for coating.

Not yet tested in other applications.


Optimal dilutions/concentrations should be determined by the end user.

## ターゲット情報

## 関連性


Zona radiata is a thickened, rather complex egg membrane of teleost fishes, which often has a radiate appearance. It is formed at the surface of the egg by the ooplasm, or the ooplasm and the follicle cells and hence should be regarded as a true vitelline membrane. May be overlain by the chorion, the zona radiata underlies or overlies a homogeneous vitelline egg membrane.

## 画像



Coating: Plasma (diluted 1:1000) from 17 $\beta$ -estradiol treated (E2) or control (C) fish.

ELISA - Anti-zona radiata antibody [MN-7F2]  
(ab36802)



Western blot - Anti-zona radiata antibody [MN-7F2] (ab36802)

**Lane 1** : Molecular weight standards

**Lanes 2-10** : Anti-zona radiata antibody [MN-7F2] (ab36802) at 1/500 dilution

**Lane 2** : Purified Zrp, [alpha, beta and gamma].

**Lane 3** : Plasma from 17 $\beta$ -estradiol treated Salmon at 1/200 dilution

**Lane 4** : Plasma from control Salmon at 1/200 dilution

**Lane 5** : Plasma from 17 $\beta$ -estradiol treated Arctic char at 1/200 dilution

**Lane 6** : Plasma from control Arctic char at 1/200 dilution

**Lane 7** : Plasma from 17 $\beta$ -estradiol treated Turbot at 1/200 dilution

**Lane 8** : Plasma from control Turbot at 1/200 dilution

**Lane 9** : Plasma from 17 $\beta$ -estradiol treated Cod at 1/200 dilution

**Lane 10** : Plasma from control Cod at 1/200 dilution

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors